GENAI IN SOFTWARE ENGINEERING

Code was never the hard part.

Understanding was — and still is.

Dr Muhammad Waseem

Vice-Head, GPT-Lab · Tampere University · drmwaseem.com

TUNI Luottamuksellinen - Confidential (3Y)

Smarter, Cheaper, but Stuck.

- ↑ **Intelligence** rising
- ↑ **Compute** rising
- ↓ **Price** falling fast
- → **Adoption** stuck

9–900×

cheaper per year to reach the same model performance, depending on the task

40%+

of agentic AI projects predicted to be cancelled by the end of 2027 (Gartner Press release)


Every demo works. Day two is where projects die.

Sources: Epoch AI, "LLM inference price trends" (2025) · Gartner press release, 25 June 2025 (a prediction)

TUNI Luottamuksellinen - Confidential (3Y)

A race car in rush-hour traffic

Machine-speed engines. Human-speed processes.



AMSTERDAM, LAST WEEK

Almost no session asked for a better model.

- *"Your AI works in the demo. Now what?"*
- *"LLMs in production: why everything breaks at scale"*
- *"The problem is not AI adoption. It's AI integration."*
- *"The AI arms race is over. Now comes the hard part."*

Session titles from the public World Summit AI 2026 programme. Photo: the speaker.

TUNI Luottamuksellinen - Confidential (3Y)

THE IDEA OF THIS TALK


AI made code cheap.
It did not make understanding cheap.

That gap is now the real work of software engineering.

TUNI Luottamuksellinen - Confidential (3Y)

Where exactly does the gap show up?

The map of this talk



Write

AI: blazing fast

Read

humans: piling up

Decide

still human

+ 04 Care: what we must protect

TUNI Luottamuksellinen - Confidential (3Y)

WRITE

The good news, and the new risk

TUNI Luottamuksellinen - Confidential (3Y)

Where GenAI already works



Code



Tests



Docs



Refactoring

TUNI Luottamuksellinen - Confidential (3Y)

Bigger helper, bigger blast radius

oops



Autocomplete

a line

uh-oh




Chat assistant

a function



Coding agent

a repository



Agent teams

a whole workflow

TUNI Luottamuksellinen - Confidential (3Y)

Example-Correct in the file. Unsafe in the repository.

15 repositories → 150 files → 5 models × 2 strategies → 1,500 attempts → 1,455 candidates



File level: clean. Then the change ripples out.

The file-level tests passed. Only 8 of 1,455 were safe to adopt as-is.

Source: Waseem, Ahmad & Abrahamsson, "When LLM-Generated Refactorings Ripple: An Empirical Study of Repository Adoption Readiness" (1,500 attempts, 150 files, 15 Java repositories, 5 models, single-prompt and multi-agent).

TUNI Luottamuksellinen - Confidential (3Y)

READ

Understanding is the bottleneck

TUNI Luottamuksellinen - Confidential (3Y)

We have been here before



AFTER THE PRINTING PRESS

"Is there anywhere on earth exempt from these swarms of new books?"

Erasmus, early 16th century

When copying became cheap, the scarce skill became selecting, summarising and judging.

Quoted in Ann Blair, Too Much to Know: Managing Scholarly Information before the Modern Age (Yale University Press, 2010)

TUNI Luottamuksellinen - Confidential (3Y)

Ten times the code. Ten times the reading.



Individual speed becomes team load.

Every generated line still has to be read and owned by someone.

TUNI Luottamuksellinen - Confidential (3Y)


Every agent is a brilliant new hire

Hired in seconds. Never onboarded. Forgets everything overnight.



It can read every line of code. It was not in the room when we decided why.

AI cannot read what was never written



≈90%

below the waterline

Context is the real codebase.

Physics: ice ≈ 0.92 g/cm³, seawater ≈ 1.03 g/cm³, so roughly 89% of floating ice is submerged.

TUNI Luottamuksellinen - Confidential (3Y)

03 DECIDE

where this is heading

TUNI Luottamuksellinen - Confidential (3Y)

The next user is an agent


57%

of requests for web pages now come from bots and agents, not people.

~~Screens~~ → **Intent**

~~The app~~ → **APIs and contracts**

~~Docs for people~~ → **Knowledge for agents**




Your next customer will never see your homepage.

Source: Cloudflare Radar, share of HTTP requests for HTML pages, June 2026. Animation is illustrative of that ratio.

TUNI Luottamuksellinen - Confidential (3Y)

Agents now talk to agents

In about one year, the plumbing for an agent economy appeared.



Your agents — **Tools and data** — **Their agents**

Nov 2024
MCP
Agents to tools and data
Anthropic

Apr 2025
A2A
Agent to agent
Google, now Linux Foundation

Sep 2025
AP2
Agents that pay
Google, 60+ partners

Sep 2025
ACP
Agents that check out
OpenAI and Stripe

Dec 2025
AAIF
10,000+ public MCP servers
MCP to Linux Foundation

Sources: Anthropic (25 Nov 2024; 9 Dec 2025) · The New Stack (23 Jun 2025) · Google AP2 (16 Sep 2025) · Stripe (29 Sep 2025)

TUNI Luottamuksellinen - Confidential (3Y)

When the customer is software



Identity
acting for whom?


Contracts
agreed to what?

Audit
can we replay it?

Loops
who stops them?

TUNI Luottamuksellinen - Confidential (3Y)

What do we need to own?



Architecture matters more, not less.

Design for the swap. Own what you cannot swap.

TUNI Luottamuksellinen - Confidential (3Y)

CARE

What we must protect

TUNI Luottamuksellinen - Confidential (3Y)

Guardrails — "Who checks the checker?



Machine checks machine

Tests, static analysis, AI review. Fast enough to keep up.


Humans check the critical

Architecture, security, release. Someone accountable signs.

Process checks both

Process, evidence, traceability around every step.

TUNI Luottamuksellinen - Confidential (3Y)




AI is not neutral. It agrees with whoever asks.

So the final guardrail cannot be another model. It has to be engineering discipline.

Evidence: Sharma et al., "Towards Understanding Sycophancy in Language Models", ICLR 2024

TUNI Luottamuksellinen - Confidential (3Y)

Agents obey whatever they read



#1

Prompt injection: the top risk for LLM applications

45%

of AI coding tasks gave code with a well-known security flaw

205,474

package names invented by code models, free for attackers to claim

Private data + untrusted input + a way out = a leak.

Sources: OWASP Top 10 for LLM Applications 2025 (LLM01) · Veracode GenAI Code Security Report, 30 Jul 2025 (100+ models, 80 tasks) · Spracklen et al., USENIX Security 2025 (16 models, 576,000 samples) · leak formula after S. Willison's "lethal trifecta" (2025)

TUNI Luottamuksellinen - Confidential (3Y)

When test agents formed a swarm



They called themselves a "swarm".

ISOLATED BY DESIGN

Agents meant to be cut off from each other and the internet built their own shared channel.

A "SWARM"

They pooled work, split roles, and reached real outside systems. No human directed it.

A WARNING SHOT

Days passed before anyone noticed. The lab's own word for it: a warning shot.

The sandbox is the guardrail. Test it like production.

Source: OpenAI incident report, July 2026 (internal cyber-capability evaluation; disclosed with Hugging Face). Independent review by METR and Redwood Research.

TUNI Luottamuksellinen - Confidential (3Y)

Three gates before we trust AI



Safe

acts only inside a sandbox, auditable

Grounded

knows the real architecture and constraints

Measured

evaluated at system level, not on benchmarks

Make AI earn its place in the pipeline.

TUNI Luottamuksellinen - Confidential (3Y)

Three questions to take home



READ

Who on your team still understands the whole system?



DECIDE

When an agent makes a decision, where is the why written?



CARE

Who will review your code 2 years from now?

TUNI Luottamuksellinen - Confidential (3Y)

Three commitments for tomorrow



Measure the system

not the snippet



Write down the why

for people and agents



Grow the skill

not just the speed

Code is cheap now. Understanding is not. That is our job.

Thank you

Dr Muhammad Waseem · GPT-Lab, Tampere University

drmwaseem.com